INDEX TO AUTHORS.

A

Allen, Frederick M. Experimental studies on diabetes. Series I. Production and control of diabetes in the dog. 1. Gross anatomic relations of the pancreas and diabetes, 363

—. 2. Effects of carbohydrate diets, 381

—. 3. Effects of protein diets, 555

—. 4. Control of experimental diabetes by fasting and total dietary restriction, 575

—. 5. Various failures of dietetic treatment, and their causes, 587

Amoss, Harold L. See FLEXNER and AMOSS, 123

B

Bartual, Luis. See BULL and BARTUAL, 233

Blake, Francis G., and **Cecil, Russell L.** Studies on experimental pneumonia. I. Production of pneumococcus lobar pneumonia in monkeys, 403

— and —. II. Pathology and pathogenesis of pneumococcus lobar pneumonia in monkeys, 445

— and —. III. Spontaneous pneumonia in monkeys, 499

—. See CECIL and BLAKE, 519, 657, 685

Brown, J. Howard. The cultural differentiation of beta hemolytic streptococci of human and bovine origin, 35

— and **Orcutt, Marion L.** Dairy infection with *Streptococcus epidemicus*, 49

Brown, Wade H., and **Pearce, Louise.** Experimental syphilis in the rabbit. I. Primary infection in the testicle, 475

— and —. II. Primary infection in the scrotum. Part 1. Reaction to infection, 709

— and —. Part 2. Scrotal lesions and the character of the scrotal infection, 729

— and —. III. Local dissemination, local recurrence, and involvement of regional lymphatics, 749

Bull, Carroll G., and **Bartual, Luis.** Pneumococcus cultures in whole fresh blood. I. The retardative effect of the blood of immune animals and the mechanism of the phenomenon, 233

C

Cecil, Russell L., and **Blake, Francis G.** Studies on experimental pneumonia. IV. Results of prophylactic vaccination against pneumococcus pneumonia in monkeys, 519

— and —. V. Active immunity against experimental pneumococcus pneumonia in monkeys following vaccination with living cultures of pneumococcus, 657

— and —. VI. Active immunity following experimental pneumococcus pneumonia in monkeys, 685

—. See BLAKE and CECIL, 403, 445, 499

Cullen, Glenn E. See LEVY and CULLEN, 267

D

Dodge, Francis W. See LEWIS and DODGE, 169

E

Emmel, V. E., Levinson, S. A., and **Fisch, M. E.** Coagulation in embryonic blood, 177

F

Finney, John M. T., Jr. See SISSON and FINNEY, 335

Fisch, M. E. See EMMEL, LEVINSON, and FISCH, 177

Flexner, Simon, and **Amoss, Harold L.** Experiments on the nasal route of infection in poliomyelitis, 123

G

Gates, Frederick L. A method of standardizing bacterial suspensions, 105

Graham, George S. The hemic basophil, 209

Graybill, H. W., and **Smith, Theobald.** Production of fatal blackhead in turkeys by feeding embryonated eggs of *Heterakis papillosa*, 647

—. See SMITH and GRAYBILL, 633

H

Happ, W. M. Appearance of isoagglutinins in infants and children, 313

J

Jones, F. S. Source and significance of streptococci in market milk, 347

K

Kligler, I. J. See OLITSKY and KLIGLER, 19

L

Larimore, Louise D. See ROUS and LARIMORE, 609

Lawson, Mary R. Crescentic bodies in æstivo-autumnal malaria; their migration and attachment to the surface of the red corpuscle, 201

Levinson, S. A. See EMMEL, LEVINSON, and FISCH, 177

Levy, Robert L., and **Cullen, Glenn E.** Deterioration of crystalline strophanthin in aqueous solution. Its relation to hydrogen ion concentration and a method for its prevention, 267

Lewis, Margaret Reed. The formation of vacuoles due to *Bacillus typhosus* in the cells of tissue cultures of the intestine of the chick embryo, 293

Lewis, Paul A., and **Dodge, Francis W.** The sterilization of lipovaccines, 169

Lewis, Warren H. Giant centrospheres in degenerating mesenchyme cells of tissue cultures, 275

Loeb, Leo. Heterotransplantation of the thyroid gland, 765

M

Manalang, C. See WADE and MANALANG, 95

Murphy, James B., and **Nakahara, Waro.** The lymphocyte in natural and induced resistance to transplanted cancer. V. Histological study of the lymphoid tissue of mice with induced immunity to transplanted cancer, 1

—. See NAKAHARA and MURPHY, 13

N

Nakahara, Waro, and **Murphy, James B.** Studies on x-ray effects. V. Effect of small doses of x-rays of low penetration on the lymphoid tissue of mice, 13

—. See MURPHY and NAKAHARA, 1

Noguchi, Hideyo. Etiology of yellow fever. X. Comparative immunological studies on *Leptospira icteroides* and *Leptospira icterohæmorrhagiæ*, 135

—. XI. Serum treatment of animals infected with *Leptospira icteroides*, 159

O

Olitsky, Peter K., and **Kligler, I. J.** Toxins and antitoxins of *Bacillus dysenteriæ* Shiga, 19

Oliver, Jean. See ROUS, WILSON, and OLIVER, 253

Orcutt, Marion L. See BROWN and ORCUTT, 49

P

Pappenheimer, Alwin M., and **Vance, Morgan.** The effects of intravenous injections of dichloroethylsulfide in rabbits, with special reference to its leucotoxic action, 71

Pearce, Louise. See BROWN and PEARCE, 475, 709, 729, 749

R

Rous, Peyton, and **Larimore, Louise D.** Relation of the portal blood to liver maintenance. A demonstration of liver atrophy conditional on compensation, 609

—, **Wilson, George W.,** and **Oliver, Jean.** Experiments on the production of specific antisera for infections of unknown cause. III. The effects of a serum precipitin on animals of the species furnishing the precipitinogen, 253

S

Sisson, Warren R., and **Finney, John M. T., Jr.** Effect of feeding the pineal body upon the development of the albino rat, 335

Smith, Theobald. Mycosis of the bovine fetal membranes due to a mould of the genus *Mucor*, 115

— and **Graybill, H. W.** Epidemiology of blackhead in turkeys under approximately natural conditions, 633

—. See GRAYBILL and SMITH, 647

V

Vance, Morgan. See PAPPENHEIMER and VANCE, 71

W

Wade, H. W., and **Manalang, C.** Fungous developmental growth forms of *Bacillus influenzæ*. A preliminary note, 95

Wilson, George W. See ROUS, WILSON, and OLIVER, 253

INDEX TO SUBJECTS.

A

Æstivo-autumnal:
Malaria, crescentic bodies (LAWSON) 201
—, — —, attachment to surface of red corpuscle (LAWSON) 201
—, — —, migration (LAWSON) 201

Anatomy:
Pancreas and diabetes, gross anatomic relations (ALLEN) 363

Antiserum:
Specific, for infections of unknown cause (ROUS, WILSON, and OLIVER) 253

Antitoxin:
Bacillus dysenteriæ Shiga (OLITSKY and KLIGLER) 19

Aqueous:
Solution, deterioration of crystalline strophanthin (LEVY and CULLEN) 267
—, deterioration of crystalline strophanthin, prevention (LEVY and CULLEN) 267
—, deterioration of crystalline strophanthin, relation to hydrogen ion concentration (LEVY and CULLEN) 267

Atrophy:
Liver, conditional on compensation (ROUS and LARIMORE) 609

B

Bacillus:
dysenteriæ Shiga, antitoxins (OLITSKY and KLIGLER) 19
— —, toxins (OLITSKY and KLIGLER) 19
influenzæ, fungous developmental growth forms (WADE and MANALANG) 95
typhosus. *See* Typhoid.

Bacteria:
Suspensions, standardization (GATES) 105

Basophil:
Blood (GRAHAM) 209

Blackhead:
Epidemiology, in turkeys (SMITH and GRAYBILL) 633
Production in turkeys by feeding embryonated eggs of *Heterakis papillosa* (GRAYBILL and SMITH) 647

Blood:
Basophil (GRAHAM) 209
Corpuscle, red. *See* Erythrocyte.
Embryonic, coagulation (EMMEL, LEVINSON, and FISCH) 177
Immune, retardative effect on pneumococcus cultures (BULL and BARTUAL) 233
Pneumococcus cultures in whole fresh (BULL and BARTUAL) 233
Portal, relation to liver maintenance (ROUS and LARIMORE) 609

Body:
Crescentic, in æstivo-autumnal malaria (LAWSON) 201
—, — — —, attachment to surface of red corpuscle (LAWSON) 201
—, — — —, migration (LAWSON) 201
Pineal. *See* Pineal body.

C

Cancer:
See Carcinoma.
Carbohydrate:
Diet, in diabetes (ALLEN) 381
Carcinoma:
Transplantation, induced immunity, histology of lymphoid tissue (MURPHY and NAKAHARA) 1
—, lymphocyte in resistance (MURPHY and NAKAHARA) 1
Cattle:
Mycosis of fetal membranes due to mould (SMITH) 115
Streptococci, beta hemolytic, of human and bovine origin, cultural differentiation (BROWN) 35
Cell:
Cultures, tissue, chick embryo intestine, vacuoles due to *Bacillus typhosus* (LEWIS) 293
—, —, degenerating mesenchyme cells, giant centrospheres (LEWIS) 275
Centrosphere:
Giant, in degenerating mesenchyme cells of tissue cultures (LEWIS) 275
Child:
Isoagglutinins, appearance (HAPP) 313
Coagulation:
Blood, embryonic (EMMEL, LEVINSON, and FISCH) 177
Compensation:
Liver atrophy conditional on (ROUS and LARIMORE) 609
Corpuscle:
Blood, red. *See* Erythrocyte.
Crescentic body:
See Body.
Crystalline:
Strophanthin, deterioration, in aqueous solution (LEVY and CULLEN) 267
—, —, in aqueous solution, prevention (LEVY and CULLEN) 267
—, —, in aqueous solution, relation to hydrogen ion concentration (LEVY and CULLEN) 267
Culture:
Pneumococcus, in whole fresh blood (BULL and BARTUAL) 233
—, living, active immunity against pneumococcus pneumonia in monkeys after vaccination with (CECIL and BLAKE) 657
Streptococci, beta hemolytic, of human and bovine origin, differentiation (BROWN) 35
Tissue, chick embryo intestine, vacuoles in cells due to *Bacillus typhosus* (LEWIS) 293
—, degenerating mesenchyme cells, giant centrospheres (LEWIS) 275

D

Dairy:
Streptococcus epidemicus infection (BROWN and ORCUTT) 49

Degeneration:
Mesenchyme cells of tissue cultures, giant centrospheres (LEWIS) 275
Development:
Pineal body, feeding, effect of, on (SISSON and FINNEY) 335
Diabetes:
(ALLEN) 363, 381, 555, 575, 587
Control, by fasting (ALLEN) 575
—, — total dietary restriction (ALLEN) 575
—, in dog (ALLEN) 363, 381, 555, 575, 587
Pancreas and, gross anatomic relations (ALLEN) 363
Production, in dog (ALLEN) 363, 381, 555, 575, 587
Dichloroethylsulfide:
Leucotoxic action, after intravenous injections (PAPPENHEIMER and VANCE) 71
Diet:
Diabetes, carbohydrate (ALLEN) 381
— controlled by total dietary restriction (ALLEN) 575
—, dietetic treatment, causes of failures (ALLEN) 587
—, — —, failures (ALLEN) 587
—, protein (ALLEN) 555
Dysenteriæ:
Bacillus, Shiga, antitoxins (OLITSKY and KLIGLER) 19
—, —, toxins (OLITSKY and KLIGLER) 19

E

Egg:
Heterakis papillosa, embryonated, blackhead in turkeys produced by feeding (GRAYBILL and SMITH) 647
Embryo:
Blood, coagulation (EMMEL, LEVINSON, and FISCH) 177
Chick, vacuoles in cells of tissue cultures of intestine due to *Bacillus typhosus* (LEWIS) 293
Heterakis papillosa, embryonated eggs, blackhead in turkeys produced by feeding (GRAYBILL and SMITH) 647
Epidemicus:
Streptococcus, dairy infection (BROWN and ORCUTT) 49
Epidemiology:
Blackhead in turkeys (SMITH and GRAYBILL) 633
Erythrocyte:
Malaria, æstivo-autumnal, attachment of crescentic bodies to surface of (LAWSON) 201
Etiology:
Infections of unknown cause, specific antisera (ROUS, WILSON, and OLIVER) 253
Yellow fever (NOGUCHI) 135, 159

F

Fasting:
Diabetes controlled by (ALLEN) 575
Feeding:
Blackhead in turkeys produced by feeding embryonated eggs of *Heterakis papillosa* (GRAYBILL and SMITH) 647
Pineal body, effect on development (SISSON and FINNEY) 335
Fetus:
Membranes, bovine, mycosis due to mould (SMITH) 115

Fever:
Yellow. *See* Yellow fever.
Fungous:
Bacillus influenzæ, developmental growth forms (WADE and MANALANG) 95

G

Gland:
Thyroid. *See* Thyroid.
Growth:
Bacillus influenzæ, fungous developmental growth forms (WADE and MANALANG) 95

H

Hemolytic:
Streptococci, beta, of human and bovine origin, cultural differentiation (BROWN) 35
Heterakis:
papillosa, embryonated eggs, blackhead in turkeys produced by feeding (GRAYBILL and SMITH) 647
Heterotransplantation:
Thyroid (LOEB) 765
Histology:
Tissue, lymphoid, in induced immunity to transplanted cancer (MURPHY and NAKAHARA) 1
Hydrogen ion:
Concentration, relation to deterioration of crystalline strophanthin in aqueous solution (LEVY and CULLEN) 267

I

Icterohæmorrhagiæ:
Leptospira, and *Leptospira icteroides*, comparative immunological studies (NOGUCHI) 135
Icteroides:
Leptospira, and *Leptospira icterohæmorrhagiæ*, comparative immunological studies (NOGUCHI) 135
—, infection, serum treatment (NOGUCHI) 159
Immunity:
Blood, immune, retardative effect on pneumococcus cultures (BULL and BARTUAL) 233
Carcinoma, transplanted, histology of lymphoid tissue in induced (MURPHY and NAKAHARA) 1
Pneumonia, pneumococcus, active, in monkeys after pneumococcus pneumonia (CECIL and BLAKE) 685
—, —, —, in monkeys after vaccination with living pneumococcus cultures (CECIL and BLAKE) 657
Immunology:
Leptospira icteroides and *Leptospira icterohæmorrhagiæ*, comparison (NOGUCHI) 135
Infant:
Isoagglutinins, appearance (HAPP) 313
Infection:
Antisera, specific, for infections of unknown cause (ROUS, WILSON, and OLIVER) 253
Leptospira icteroides, serum treatment (NOGUCHI) 159
Poliomyelitis, nasal route (FLEXNER and AMOSS) 123
Streptococcus epidemicus, dairy (BROWN and ORCUTT) 49
Syphilis, primary, in scrotum (BROWN and PEARCE) 709, 729

Infection—*continued:*
Syphilis, primary, in scrotum, character (BROWN and PEARCE) 729
—, —, — —, reaction (BROWN and PEARCE) 709
—, —, — testicle (BROWN and PEARCE) 475
Influenzæ:
Bacillus, fungous developmental growth forms (WADE and MANALANG) 95
Intestine:
Chick embryo, tissue cultures, vacuoles in cells due to *Bacillus typhosus* (LEWIS) 293
Isoagglutinin:
Child, appearance (HAPP) 313
Infant, appearance (HAPP) 313

L

Leptospira:
icterohæmorrhagiæ and *icteroides*, comparative immunological studies (NOGUCHI) 135
icteroides and *icterohæmorrhagiæ*, comparative immunological studies (NOGUCHI) 135
—, infection, serum treatment (NOGUCHI) 159
Lesion:
Scrotal, in primary syphilis infection of scrotum (BROWN and PEARCE) 729
Leucotoxic:
Dichloroethylsulfide, intravenous injections, leucotoxic action (PAPPENHEIMER and VANCE) 71
Lipovaccine:
Sterilization (LEWIS and DODGE) 169
Liver:
Atrophy, conditional on compensation (ROUS and LARIMORE) 609
Blood, portal, relation to maintenance of liver (ROUS and LARIMORE) 609
Lymphatic:
Regional, involvement in syphilis (BROWN and PEARCE) 749
Lymphocyte:
Carcinoma, transplanted, lymphocyte in resistance (MURPHY and NAKAHARA) 1
Lymphoid tissue:
See Tissue.

M

Malaria:
Æstivo-autumnal, crescentic bodies (LAWSON) 201
—, — —, attachment to surface of red corpuscle (LAWSON) 201
—, — —, migration (LAWSON) 201
Membrane:
Fetal, bovine, mycosis due to mould (SMITH) 115
Mesenchyme:
Cells, degenerating, of tissue cultures, giant centrospheres (LEWIS) 275
Method:
Bacterial suspensions, standardization (GATES) 105
Strophanthin, crystalline, deterioration in aqueous solution, prevention (LEVY and CULLEN) 267
Migration:
Malaria, æstivo-autumnal, migration of crescentic bodies (LAWSON) 201

Milk:
Market, significance of streptococci (JONES) 347
—, source of streptococci (JONES) 347
Mould:
Mycosis of bovine fetal membranes due to (SMITH) 115
Mucor:
Mycosis of bovine fetal membranes due to (SMITH) 115
Mycosis:
Fetal membranes, bovine, due to mould (SMITH) 115

N

Nasal:
Poliomyelitis, nasal route of infection (FLEXNER and AMOSS) 123

P

Pancreas:
Diabetes and, gross anatomic relations (ALLEN) 363
Papillosa:
Heterakis, embryonated eggs, blackhead in turkeys produced by feeding (GRAYBILL and SMITH) 647
Pathogenesis:
Pneumonia, lobar, pneumococcus, in monkeys (BLAKE and CECIL) 445
Pathology:
Pneumonia, lobar, pneumococcus, in monkeys (BLAKE and CECIL) 445
Pineal body:
Feeding, effect on development (SISSON and FINNEY) 335
Pneumococcus:
Cultures, in whole fresh blood (BULL and BARTUAL) 233
Pneumococcus—*continued:*
Cultures, living, vaccination, active immunity against pneumococcus pneumonia in monkeys after (CECIL and BLAKE) 657
Pneumonia, active immunity, in monkeys after (CECIL and BLAKE) 685
—, active immunity in monkeys after vaccination with living pneumococcus cultures (CECIL and BLAKE) 657
—, lobar, pathogenesis, in monkeys (BLAKE and CECIL) 445
—, —, pathology, in monkeys (BLAKE and CECIL) 445
—, —, production in monkeys (BLAKE and CECIL) 403
—, vaccination against, in monkeys (CECIL and BLAKE) 519
Pneumonia:
(BLAKE and CECIL) 403, 445, 499
(CECIL and BLAKE) 519, 657, 685
Pneumococcus, active immunity in monkeys after (CECIL and BLAKE) 685
—, active immunity in monkeys after vaccination with living pneumococcus cultures (CECIL and BLAKE) 657
—, lobar, pathogenesis, in monkeys (BLAKE and CECIL) 445
—, —, pathology, in monkeys (BLAKE and CECIL) 445
—, —, production in monkeys (BLAKE and CECIL) 403
—, vaccination against, in monkeys (CECIL and BLAKE) 519
Spontaneous, in monkeys (BLAKE and CECIL) 499

Poliomyelitis:
Infection by nasal route (FLEXNER and AMOSS) 123
Portal blood:
See Blood.
Precipitin:
Serum, effect on animals of species furnishing precipitinogen (ROUS, WILSON, and OLIVER) 253
Precipitinogen:
Serum precipitin, effects of, on animals of species furnishing (ROUS, WILSON, and OLIVER) 253
Prophylaxis:
Vaccination. *See* Vaccination.
Protein:
Diet, in diabetes (ALLEN) 555

R

Red blood corpuscle:
See Erythrocyte.
Resistance:
Carcinoma transplantation, lymphocyte in (MURPHY and NAKAHARA) 1
Roentgen ray:
(NAKAHARA and MURPHY) 13
Tissue, lymphoid, effect on, of small doses of low penetration (NAKAHARA and MURPHY) 13

S

Scrotum:
Syphilis infection, primary (BROWN and PEARCE) 709, 729
— —, —, character (BROWN and PEARCE) 729
— —, —, scrotal lesions (BROWN and PEARCE) 729
Serum:
Leptospira icteroides infection, treatment (NOGUCHI) 159
Precipitin, effect on animals of species furnishing precipitinogen (ROUS, WILSON, and OLIVER) 253
Solution:
Aqueous, deterioration of crystalline strophanthin (LEVY and CULLEN) 267
—, deterioration of crystalline strophanthin, prevention (LEVY and CULLEN) 267
—, deterioration of crystalline strophanthin, relation to hydrogen ion concentration (LEVY and CULLEN) 267
Specificity:
Antisera, specific, for infections of unknown cause (ROUS, WILSON, and OLIVER) 253
Standardization:
Bacterial suspensions (GATES) 105
Sterilization:
Lipovaccines (LEWIS and DODGE) 169
Streptococcus:
epidemicus, dairy infection (BROWN and ORCUTT) 49
Hemolytic, beta, of human and bovine origin, cultural differentiation (BROWN) 35
Milk, market, significance (JONES) 347
—, —, source (JONES) 347
Strophanthin:
Crystalline, deterioration, in aqueous solution (LEVY and CULLEN) 267

Strophanthin—*continued:*
Crystalline, deterioration, in aqueous solution, prevention, (LEVY and CULLEN) 267
—, —, in aqueous solution, relation to hydrogen ion concentration (LEVY and CULLEN) 267
Suspension:
Bacteria, standardization (GATES) 105
Syphilis:
(BROWN and PEARCE) 475, 709, 729, 749

T

Testicle:
Syphilis infection, primary (BROWN and PEARCE) 475
Thyroid:
Heterotransplantation (LOEB) 765
Tissue:
Cultures, chick embryo intestine, vacuoles in cells due to *Bacillus typhosus* (LEWIS) 293
—, degenerating mesenchyme cells, giant centrospheres (LEWIS) 275
Lymphoid, effect of small doses of x-ray of low penetration (NAKAHARA and MURPHY) 13
—, histology, in induced immunity to transplanted cancer (MURPHY and NAKAHARA) 1
Toxin:
Bacillus dysenteriæ Shiga (OLITSKY and KLIGLER) 19
Transplantation:
Carcinoma, induced immunity, histology of lymphoid tissue (MURPHY and NAKAHARA) 1
—, lymphocyte in resistance (MURPHY and NAKAHARA) 1
Turkey:
Blackhead, epidemiology (SMITH and GRAYBILL) 633
—, produced by feeding embryonated eggs of *Heterakis papillosa* (GRAYBILL and SMITH) 647
Typhoid:
Bacillus, vacuoles in cells of tissue cultures of chick embryo intestine due to (LEWIS) 293

V

Vaccination:
Pneumococcus, in monkeys (CECIL and BLAKE) 519
—, with living cultures, active immunity against pneumococcus pneumonia in monkeys after (CECIL and BLAKE) 657
Vacuole:
Tissue cultures of chick embryo intestine, vacuoles in cells caused by *Bacillus typhosus* (LEWIS) 293

X

X-ray:
See Roentgen ray.

Y

Yellow fever:
Etiology (NOGUCHI) 135, 159